

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3995	726/5,6,7,9.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/20 14:25
L2	6176	713/168,182,184,185.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/20 15:38
L3	239	1 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/20 15:43
L4	532	2 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/20 15:43
L5	203	3 and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/20 15:52
L6	402	4 and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/20 15:52
L7	55	(seed same request) and 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/20 15:52
L8	90	(seed same request) and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/20 15:52
S1	29557	"713".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/04 15:42

S2	16789	"380".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:49
S3	23118	S1 and (@pd<"20021209" or @ad<"20021209" or @prad<"20021209" or @rlad<"20021209")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:50
S4	34625	(S1 or S2) and (@ad<"20021209" or @prad<"20021209" or @rlad<"20021209")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:53
S5	1581	remote adj (authentication or authenticate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:54
S6	58	S5 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 14:01
S7	1420359	store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:54
S8	19842	S1 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:54
S9	7726	S2 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:54
S10	15267	S3 and store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:54
S11	5593	S10 and (authentication or authenticate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:55
S12	616	S11 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 13:55

S13	536	two-factor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 14:01
S14	10	S12 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/01/30 14:02
S15	6	"5497421".pn. or "5684950".pn. or "5812764".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/02 09:09
S16	1	10/730183	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/02/04 15:42
S17	38	seed adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/15 11:58
S18	883	726/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/15 14:23
S19	2217	((two or dual or multi\$3 or plural \$3) adj (stage or factor or level)) with (authenticat\$3 or validat\$3 or authoriz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/15 14:26
S20	24	S18 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/15 14:26
S21	1685	S19 and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/15 14:28
S22	312	S19 same request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/15 14:28
S23	863	((two or dual or multi\$3 or plural \$3) adj (stage or factor or level)) adj (authenticat\$3 or validat\$3 or authoriz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/15 14:29

S25	132	S23 same request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/15 14:32
S26	46	S23 with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/03/15 14:32
S27	688	seed distribution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 20:31
S28	21731	"726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 20:31
S29	2	S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 20:31
S30	22541	"380".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 20:38
S31	4	S27 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 20:38
S32	49	seed request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 21:36
S33	9	S28 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 21:36
S34	6	S30 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 21:36
S35	19	S32 and authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 21:49

S36	5362	seed (store or storage or database or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 21:56
S37	38	S36 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 21:56
S38	5287	seed (store or storage or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:00
S39	234	seed (store or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:00
S40	159	S39 and (distribut\$3 or request or retrieve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:01
S41	57	S39 same (distribut\$3 or request or retrieve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:01
S42	57	S39 same (distribut\$3 or request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:01
S43	9	S27 and (seed same authentication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:19
S44	331	726/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:22
S45	15	S44 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:22
S46	7121	(authentication (information or data)) with (request or distribut \$3 or retrieve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:25

S47	56	S44 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:25
S48	1253	password request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:29
S49	8	S44 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:29
S50	1283	380/278,279.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:31
S51	157	S50 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:31
S52	25	S50 and (seed with (request or distribution or retrieval))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 22:32
S53	6	US 5497421-\$.DID. OR US-5684950-\$.DID. OR US-5812764-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 23:12
S54	1	mobilepass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/11/07 23:34
S55	49921	"713".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S56	23988	"380".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S57	28422	S55 and (@pd<"20021209" or @ad<"20021209" or @prad<"20021209" or @riad<"20021209")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54

S58	41003	(S55 or S56) and @pd<"20021209" or @ad<"20021209" or @prad<"20021209" or @riad<"20021209")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S59	3746	remote adj (authentication or authenticate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S60	127	S59 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S61	2042590	store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S62	34824	S55 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S63	13035	S56 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S64	19273	S67 and store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S65	7882	S64 and (authentication or authenticate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S66	911	S65 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S67	1222	two-factor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S68	16	S66 and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54

S69	6	"5497421".pn. or "5684950".pn. or "5812764".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S70	1	10/730183	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S71	57	seed adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S72	1875	726/3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S73	3373	((two or dual or multi\$3 or plural \$3) adj (stage or factor or level)) with (authenticat\$3 or validat\$3 or authoriz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S74	60	S72 and S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S75	2558	S73 and request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S76	487	S73 same request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S77	1457	((two or dual or multi\$3 or plural \$3) adj (stage or factor or level)) adj (authenticat\$3 or validat\$3 or authoriz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S78	233	S77 same request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S79	78	S77 with request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54

S80	709	seed distribution	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S81	24853	"726".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S82	2	S80 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S83	23988	"380".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S84	4	S80 and S83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S85	57	seed request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S86	10	S81 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S87	6	S83 and S85	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S88	21	S85 and authentication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S89	5758	seed (store or storage or database or server)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S90	38	S89 and S81	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54

S91	5674	seed (store or storage or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S92	254	seed (store or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S93	174	S92 and (distribut\$3 or request or retrieve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S94	62	S92 same (distribut\$3 or request or retrieve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S95	62	S92 same (distribut\$3 or request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S96	9	S80 and (seed same authentication)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S97	385	726/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S98	16	S97 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S99	7881	(authentication (information or data)) with (request or distribut\$3 or retrieve)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S100	72	S97 and S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S101	1323	password request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54

S102	9	S97 and S101	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S103	1470	380/278,279.ocls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S104	177	S103 and seed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S105	27	S103 and (seed with (request or distribution or retrieval))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S106	6	US-5497421-\$.DID. OR US-5684950-\$.DID. OR US-5812764-\$.DID.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54
S107	1	mobilepass	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/05/19 23:54

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	420	(seed and (request\$3 or retriev \$3)).clm.	USPAT; UPAD	ADJ	ON	2010/05/20 18:02
L10	95	(seed and (request\$3 or retriev \$3) and (calculat\$3)).clm.	USPAT; UPAD	ADJ	ON	2010/05/20 18:03
L11	127	(seed and (request\$3 or retriev \$3) and (compar\$3)).clm.	USPAT; UPAD	ADJ	ON	2010/05/20 18:03
L12	78	(seed and (request\$3 or retriev \$3) and (match\$3)).clm.	USPAT; UPAD	ADJ	ON	2010/05/20 18:03

5/ 20/ 2010 7:39:29 PM

C:\Documents and Settings\ezee\Desktop\2100\10730183\ 10730183b.wsp